



**CENTRAL SURGICAL CO.(PVT) LTD.,**



**Haripur Chowk, Bhagowal  
Kaleharawan Road, Sialkot - Pakistan.**

**Tel: +92-321-6157475**

**Tel:+92-337-1473030**

**Tel:+92-321-6141352**

**Email: [surgical@centralsurgical.com](mailto:surgical@centralsurgical.com)  
[dental@centralsurgical.com](mailto:dental@centralsurgical.com)**



### Contents

European Bipolar Forceps	1 to 4
US Bipolar Forceps	5 to 11
Diathermy Instruments	12 to 15
Disposable Bipolar Forceps	16
Gynecology Instruments	17 to 19
Electrodes	20 to 21
Electrosurgical Pencils & Cables	22
Non-Stick Bipolar Forceps	23





## European Bipolar Forceps



*Our Forceps With the Popular European Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps are Coated With a Special Nylon Material.*



381-100 McPherson



381-102 McPherson Angled



381-104 Jeweller 5#




381-106 Jeweller 5#



381-108 Jeweller 7# Angled



381-110 Adson



Art No.	Description	Tip Size	Length Size
381-100	McPherson	0.5mm	10.2cm
381-102	McPherson Angled	0.5mm	10.2cm
381-104	Jeweller 5#	0.5mm, 0.7mm	11.5cm
381-106	Jeweller 5#	0.5mm, 0.7mm	11.5cm
381-108	Jeweller 7# Angled	0.5mm, 0.7mm	11.5cm
381-110	Adson	1.0mm	12cm
381-112	Adson	1.0mm	15cm

**Note:** Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm



## European Bipolar Forceps



*Our Forceps With the Popular European Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps are Coated With a Special Nylon Material.*



381-114 Straight



381-116 Straight



381-118 Straight




381-120 Straight



381-124 Straight Angled



381-126 Straight Angled



Art No.	Description	Tip Size mm	Length Size
381-114	Straight	0.5, 1.0, 2.0	15cm
381-116	Straight	0.5, 1.0, 2.0	18cm
381-118	Straight	0.5, 1.0, 2.0	20cm
381-120	Straight	0.5, 1.0, 2.0	22cm
381-122	Straight	0.5, 1.0, 2.0	24cm
381-124	Straight Angled	0.5, 1.0, 2.0	15cm
381-126	Straight Angled	0.5, 1.0, 2.0	18cm

**Note:** Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## European Bipolar Forceps



*Our Forceps With the Popular European Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps are Coated With a Special Nylon Material.*



381-128 Straight Angled



381-130 Straight Angled



381-134 Bayonet




381-136 Bayonet



381-138 Bayonet



381-144 Bayonet Angled UP



Art No.	Description	Tip Size mm	Length Size
381-128	Straight Angled	0.5, 1.0, 2.0	20cm
381-130	Straight Angled	0.5, 1.0, 2.0	22cm
381-132	Straight Angled	0.5, 1.0, 2.0	24cm
381-134	Bayonet	0.5, 1.0, 2.0	16.5cm
381-136	Bayonet	0.5, 1.0, 2.0	18cm
381-138	Bayonet	0.5, 1.0, 2.0	20cm
381-140	Bayonet	0.5, 1.0, 2.0	22cm
381-142	Bayonet	0.5, 1.0, 2.0	24cm
381-144	Bayonet Angled UP	0.5, 1.0, 2.0	16.5cm
381-146	Bayonet Angled UP	0.5, 1.0, 2.0	18cm
381-148	Bayonet Angled UP	0.5, 1.0, 2.0	20cm
381-150	Bayonet Angled UP	0.5, 1.0, 2.0	22cm
381-152	Bayonet Angled UP	0.5, 1.0, 2.0	24cm

**Note:** Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## European Bipolar Forceps



*Our Forceps With the Popular European Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps are Coated With a Special Nylon Material.*



381-154 Bayonet Angled Down



381-164-IR Straight Irrigation



381-166-IR Straight Irrigation




381-168-IR Bayonet Irrigation



381-170-IR Bayonet Irrigation

Note: More Bipolar Irrigation Forceps are available use IR extension to any regular bipolar forceps.



Art No.	Description	Tip Size mm	Length Size
381-154	Bayonet Angled Down	0.5, 1.0, 2.0	16.5cm
381-156	Bayonet Angled Down	0.5, 1.0, 2.0	18cm
381-158	Bayonet Angled Down	0.5, 1.0, 2.0	20cm
381-160	Bayonet Angled Down	0.5, 1.0, 2.0	22cm
381-162	Bayonet Angled Down	0.5, 1.0, 2.0	24cm
381-164	Straight Irrigation	0.5, 1.0, 2.0	18cm
381-166	Straight Irrigation	0.5, 1.0, 2.0	20cm
381-168	Bayonet Irrigation	0.5, 1.0, 2.0	18cm
381-170	Bayonet Irrigation	0.5, 1.0, 2.0	20cm

Note: Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## US Bipolar Forceps



*Our Forceps With the Popular US Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps made High Quality Stainless Steel.*



381-200 McPherson (Non-Insulated)



381-202 McPherson Angled (Non-Insulated)



381-204 Coaptation (Non-Insulated)




381-206 Semkin (Non-Insulated)



381-208 Jeweller (Non-Insulated)



381-210 Adson (Non-Insulated)



Art No.	Description	Tip Size mm	Length Size
381-200	McPherson (Non-Insulated)	0.5mm	10.2cm
381-202	McPherson (Non-Insulated)	0.5mm	10.2cm
381-204	Coaptation (Non-Insulated)	Needle	11.4cm
381-206	Semkin (Non-Insulated)	0.5, 0.7	14cm
381-208	Jeweller (Non-Insulated)	0.5, 0.7	11.4cm
381-210	Adson (Non-Insulated)	1.0mm	12cm
381-212	Adson (Non-Insulated)	1.0mm	15cm

**Note:** Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm



## US Bipolar Forceps



*Our Forceps With the Popular US Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps Made High Quality Stainless Steel.*



381-214 Jeweller Angled (Non-Insulated)



381-216 Gerald (Non-Insulated)



381-218 Bayonet (Non-Insulated)




381-220 Bayonet (Non-Insulated)



381-222 Bayonet (Non-Insulated)



381-226 Bayonet Angled (Non-Insulated)



Art No.	Description	Tip Size mm	Length Size
381-214	Jeweller (Non-Insulated)	0.5, 0.7	11.4cm
381-216	Gerald (Non-Insulated)	0.5, 1.0, 2.0	17.8cm
381-218	Bayonet (Non-Insulated)	0.5, 1.0, 2.0	16.5cm
381-220	Bayonet (Non-Insulated)	0.5, 1.0, 2.0	18.0cm
381-222	Bayonet (Non-Insulated)	0.5, 1.0, 2.0	20.0cm
381-224	Bayonet (Non-Insulated)	0.5, 1.0, 2.0	24.0cm
381-226	Bayonet Angled (Non-Insulated)	0.5, 1.0, 2.0	18cm

**Note:** Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## US Bipolar Forceps



*Our Forceps With the Popular US Fitting for Connecting to Bipolar Cables.*



*Crosstex Bipolar Forceps are Coated With a Special Nylon Material.*

## Ophthalmic Bipolar Forceps



381-230 McPherson



381-232 McPherson Angled



381-234 Coaptation Nadler



381-236 Coaptation



381-238 Jeweler #5



381-240 Jeweler #4



381-242 Tenzel




381-244 Jeweler #7



381-246 Iris Straight



381-248 Iris Curved



Art No.	Description	Tip Size mm	Length Size
381-230	McPherson Straight	0.5	10.2cm
381-232	McPherson Curved	0.5	10.2cm
381-234	Coaptation Nadler	0.5	10.2cm
381-236	Coaptation	0.5	10.8cm
381-238	Jeweler #5	Needle, 0.5	11.5cm
381-240	Jeweler #4	Needle, 0.5	11.5cm
381-242	Tenzel	Needle, 0.5	10.2cm
381-244	Jeweler #7	Needle, 0.5	11.5cm
381-246	Iris Straight	1.0mm	10.8cm
381-248	Iris Curved	1.0mm	10.8cm

**Note:** Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## US Bipolar Forceps



*Our Forceps With the Popular US Fitting for Connecting to Bipolar Cables.*



*Crosstex Bipolar Forceps are Coated With a Special Nylon Material.*

## Plastic & Reconstructive Bipolar Forceps



381-250 Adson



381-252 Semkin



381-254 Cushing



381-256 Cushing



381-258 Cushing



381-260 Gerald Straight




381-262 Gerald Curved



381-264 Gerald Bayonet

NEEDLE 0.5 mm 0.7 mm 1.0 mm 1.5 mm 2.0 mm



Art No.	Description	Tip Size mm	Length Size
381-250	Adson	1	12cm
381-252	Semkin	0.5, 1.0	14cm
381-254	Cushing	1.0, 1.5, 2.0	15.9cm
381-256	Cushing	1.0, 1.5, 2.0	17.8cm
381-258	Cushing Gursh	1.0, 1.5, 2.0	17.8cm
381-260	Gerald Straight	1.0, 1.5	17.8cm
381-262	Gerald Curved	1.0, 1.5	17.8cm
381-264	Gerald Bayonet	1.0, 1.5	18.4cm

**Note:** Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## US Bipolar Forceps



*Our Forceps With the Popular US Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps are Coated With a Special Nylon Material.*

## Neurosurgical Bipolar Forceps



381-266 Jansen Bayonet



381-268 Jansen Bayonet



381-270 Jansen Bayonet



381-272 Malis



381-274 Scoville Greenwood




381-276 Yasargil



381-278 Hardy Bayonet



381-280 Hardy Bayonet Angled




Art No.	Description	Tip Size mm	Length Size
381-266	Jansen Bayonet	0.5, 1.0, 1.5	15.2cm
381-268	Jansen Bayonet	0.5, 1.0, 1.5	17.8cm
381-270	Jansen Bayonet	0.5, 1.0, 1.5	20.4cm
381-272	Malis	0.5, 1.0, 1.5	17.8cm
381-274	Soville-Greenwood	1.0, 1.5	19.1cm
381-276	Yasargil	1.0, 1.5	19.7cm
381-278	Hardy Bayonet	1.0, 1.5	21.6cm
381-280	Hardy Bayonet Angled	1.0, 1.5	21.6cm

**Note:** Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## US Bipolar Forceps



*Our Forceps With the Popular US Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps are Coated With a Special Nylon Material.*

## Monopolar Bipolar Forceps



381-282 Jeweler #4



381-284 Jeweler #7



381-286 Adson



381-288 Potts-Smith



381-290 Potts-Smith




381-294 Jansen Bayonet



381-298 Jansen Bayonet



381-302 Jansen Bayonet Upward Tip



Art No.	Description	Tip Size mm	Length Size
381-282	Jeweler #4	Needle	11.5cm
381-284	Jeweler #7	Needle	11.5cm
381-286	Adson	1.0mm	12.0cm
381-288	Potts-Smith	2.0mm	17.8cm
381-290	Potts-Smith	2.0mm	21.0cm
381-292	Potts-Smith	2.0mm	24.1cm
381-294	Jensen Bayonet	1.5mm	13.3cm
381-296	Jensen Bayonet	1.5mm	15.9cm
381-298	Jensen Bayonet	2.0mm	19.1cm
381-300	Jensen Bayonet	2.0mm	21.0cm
381-302	Jensen Bayonet Upward	2.0mm	19.1cm
381-304	Jensen Bayonet Upward	2.0mm	21.0cm

**Note:** Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## US Bipolar Forceps



*Our Forceps With the Popular US Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps are Coated With a Special Nylon Material.*

## Irrigation Bipolar Forceps



381-304-IR Hardy Bayonet Tip 2.0mm 21.6cm



381-306-IR Jansen Bayonet Tip 1.5mm 19.1cm



381-308-IR Scoville-Greenwood Tip 1.5mm 19.7cm




381-310-IR Gerald Bayonet Tip 1mm 18.4cm



381-312-IR Straight Tip 1mm 15.9cm

NEEDLE 0.5 mm 0.7 mm 1.0 mm 1.5 mm 2.0 mm



Note: More Bipolar Irrigation Forceps are available use IR extension to any regular bipolar forceps.

Note: Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## Diathermy Instruments

## Diathermy Instruments English Fitting



381-350 Adson




381-352 McIndoe



381-354 Gillies (1x2)



381-362 Dissecting



381-370 Adson Bayonet



381-376 Diathermy Inst. Ang



381-378 Tunner Warwick



381-386 Dressing Scissor



381-394 Artery Forceps

### English Monopolar Male 4.8mm Connector

Art No.	Description	Tip Size mm	Length Size
381-350	Adson	1.0mm	12.0cm
381-352	McIndoe	1.0, 2.0	15.0cm
381-354	Gillies 1x2	-	15.0cm
381-356	Gillies 1x2	-	17.8cm
381-358	Gillies 1x2	-	20.0cm
381-360	Gillies 1x2	-	23.0cm
381-362	Dissecting Forceps	1.0, 2.0	13.3cm
381-364	Dissecting Forceps	1.0, 2.0	15.9cm
381-366	Dissecting Forceps	1.0, 2.0	19.1cm
381-368	Dissecting Forceps	1.0, 2.0	21.0cm
381-370	Addon Bayonet Angled UP	1.0, 2.0	16.0cm
381-372	Addon Bayonet Angled UP	1.0, 2.0	19.1cm
381-374	Addon Bayonet Angled UP	1.0, 2.0	21.0cm
381-376	Diathermy Inst. Eng	1.0, 2.0	24.1cm
381-378	Tunner Warwick Scissors STR	-	17.8cm
381-380	Tunner Warwick Scissors CRV	-	17.8cm
381-382	Tunner Warwick Scissors STR	-	23.0cm
381-384	Tunner Warwick Scissors CRV	-	23.0cm
381-386	Surgical Scissors STR	-	17.8cm
381-388	Surgical Scissors CRV	-	17.8cm
381-390	Surgical Scissors STR	-	23.0cm
381-392	Surgical Scissors CRV	-	23.0cm
381-394	Artery Forceps STR	-	17.8cm
381-396	Artery Forceps CRV	-	17.8cm
381-398	Artery Forceps STR	-	23.0cm
381-400	Artery Forceps CRV	-	23.0cm



*Our Bipolar Forceps are Coated With a Special Nylon Material.*





## Diathermy Instruments

## Diathermy Instruments European Fitting



381-402 Adson




381-404 McIndoe




381-406 Gillies (1x2)



381-414 Dissecting



381-422 Adson Bayonet



381-428 Diathermy Inst. Ang



381-430 Tunner Warwick



381-438 Dressing Scissor



381-446 Artery Forceps



*Our Bipolar Forceps are Coated With a Special Nylon Material.*

### European Monopolar Female 4.0mm Connector

Art No.	Description	Tip Size mm	Length Size
381-402	Adson	1.0mm	12.0cm
381-404	McIndoe	1.0, 2.0	15.0cm
381-406	Gillies 1x2	-	15.0cm
381-408	Gillies 1x2	-	17.8cm
381-410	Gillies 1x2	-	20.0cm
381-412	Gillies 1x2	-	23.0cm
381-414	Dissecting Forceps	1.0, 2.0	13.3cm
381-416	Dissecting Forceps	1.0, 2.0	15.9cm
381-418	Dissecting Forceps	1.0, 2.0	19.1cm
381-420	Dissecting Forceps	1.0, 2.0	21.0cm
381-422	Addon Bayonet Angled UP	1.0, 2.0	16.0cm
381-424	Addon Bayonet Angled UP	1.0, 2.0	19.1cm
381-426	Addon Bayonet Angled UP	1.0, 2.0	21.0cm
381-428	Diathermy Inst. Eng	1.0, 2.0	24.1cm
381-430	Tunner Warwick Scissors STR	-	17.8cm
381-432	Tunner Warwick Scissors CRV	-	17.8cm
381-434	Tunner Warwick Scissors STR	-	23.0cm
381-436	Tunner Warwick Scissors CRV	-	23.0cm
381-438	Surgical Scissors STR	-	17.8cm
381-440	Surgical Scissors CRV	-	17.8cm
381-442	Surgical Scissors STR	-	23.0cm
381-444	Surgical Scissors CRV	-	23.0cm
381-446	Artery Forceps STR	-	17.8cm
381-448	Artery Forceps CRV	-	17.8cm
381-450	Artery Forceps STR	-	23.0cm
381-452	Artery Forceps CRV	-	23.0cm





## Diathermy Instruments

## Diathermy Instruments European Monopolar



381-454 Adson



381-456 McIndoe



381-458 Gillies (1x2)



381-466 Dissecting



381-474 Gerald (1x2)



381-476 Adson Bayonet



381-480 Bayonet Angled



381-486 Diathermy Inst. Ang



*Our Bipolar Forceps  
are Coated With  
a Special Nylon  
Material.*

### European Monopolar Male 4.0mm Connector

Art No.	Description	Tip Size mm	Length Size
381-454	Adson	1.0mm	12.0cm
381-456	McIndoe	1.0, 2.0	15.0cm
381-458	Gillies 1x2	-	15.0cm
381-460	Gillies 1x2	-	17.8cm
381-462	Gillies 1x2	-	20.0cm
381-464	Gillies 1x2	-	23.0cm
381-466	Dissecting Forceps	1.0, 2.0	13.3cm
381-468	Dissecting Forceps	1.0, 2.0	15.9cm
381-470	Dissecting Forceps	1.0, 2.0	19.1cm
381-472	Dissecting Forceps	1.0, 2.0	21.0cm
381-474	Gerald (1x2)	-	17.8cm
381-476	Adson Bayonet	1.0, 2.0	16.0cm
381-478	Adson Bayonet	1.0, 2.0	19.1cm
381-480	Addon Bayonet Angled UP	1.0, 2.0	16.0cm
381-482	Addon Bayonet Angled UP	1.0, 2.0	19.1cm
381-484	Addon Bayonet Angled UP	1.0, 2.0	21.0cm
381-486	Diathermy Inst. Eng	1.0, 2.0	24.1cm





## Diathermy Instruments

## Diathermy Instruments Without Connector



381-488 Adson



381-490 McIndoe



381-492 Gillies (1x2)



381-500 Dissecting



381-508 Gerald (1x2)



381-510 Adson Bayonet



381-514 Bayonet Angled



381-520 Diathermy Inst. Ang



*Our Bipolar Forceps  
are Coated With  
a Special Nylon  
Material.*

## Monopolar Without Connector

Art No.	Description	Tip Size mm	Length Size
381-488	Adson	1.0mm	12.0cm
381-490	McIndoe	1.0, 2.0	15.0cm
381-492	Gillies 1x2	-	15.0cm
381-494	Gillies 1x2	-	17.8cm
381-496	Gillies 1x2	-	20.0cm
381-498	Gillies 1x2	-	23.0cm
381-500	Dissecting Forceps	1.0, 2.0	13.3cm
381-502	Dissecting Forceps	1.0, 2.0	15.9cm
381-504	Dissecting Forceps	1.0, 2.0	19.1cm
381-506	Dissecting Forceps	1.0, 2.0	21.0cm
381-508	Gerald (1x2)	-	17.8cm
381-510	Adson Bayonet	1.0, 2.0	16.0cm
381-512	Adson Bayonet	1.0, 2.0	19.1cm
381-514	Addon Bayonet Angled UP	1.0, 2.0	16.0cm
381-516	Addon Bayonet Angled UP	1.0, 2.0	19.1cm
381-518	Addon Bayonet Angled UP	1.0, 2.0	21.0cm
381-520	Diathermy Inst. Eng	1.0, 2.0	24.1cm





## Disposable Bipolar Forceps




*Our Forceps With the Popular US & European Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps are Coated With a Special Nylon Material.*



Note: More Disposable Bipolar Forceps are available use DP extension to any regular bipolar forceps.



Art No.	Description	Tip Size mm	Length Size
381-550-DP	Jeweller #5 With 3m Cable	0.5, 0.7	-
381-552-DP	Straight Forceps With 3m Cable	1.0, 1.5, 2.0	-
381-554-DP	Bayonet Forceps With 3m Cable	1.0, 1.5, 2.0	-
381-556-DP	Straight Forceps European	1.0, 1.5, 2.0	18.0cm
381-558-DP	Straight Forceps Ang. European	1.0, 1.5, 2.0	18.0cm
381-560-DP	Jeweller #5 US	0.5, 0.7	11.5cm
381-562-DP	Adson US	1.0mm	12cm
381-564-DP	Gerald Straight	1.0, 1.5	17.8cm
381-566-DP	Jansen Bayonet	1.0, 1.5	18.4cm

Note: Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm





## Gynecology Instruments



*Our Gynecology Instruments  
a Wide Selection of the  
Most Popular Styles & Size.  
The Smoke Evacuation Tube  
Provide Excellent Smoke  
Reduction.*



*Our Gynecology  
Instruments are  
Coated With  
a Special Nylon  
Material.*



**Graves Vaginal Speculum  
With Smoke Evacuation Tube**  
Small 381-600  
Medium 381-602  
Large 381-604

**Disposable Tube**



Small 381-606  
Medium 381-608  
Large 381-610



**Pederson Vaginal Speculum  
With Smoke Evacuation Tube**  
Small 381-612  
Medium 381-614  
Large 381-616

**Disposable Tube**



Small 381-618  
Medium 381-620  
Large 381-622



**VU-Max Graves Speculum  
With Smoke Disposable Tube**  
Medium 381-628  
Large 381-630  
Medium 381-624  
Large 381-626

**Exacution Tube**



**VU-Max Pederson Speculum  
With Smoke Disposable Tube**  
Medium 381-636  
Large 381-638  
Medium 381-632  
Large 381-634

**Exacution Tube**



**Collin Speculum  
With Smoke Disposable Tube**  
Small 381-636  
Medium 381-638  
Large 381-640



**Cusco Speculum  
With Smoke Disposable Tube**  
Small 381-642  
Medium 381-644  
Large 381-646





## Gynecology Instruments



*Our Gynecology Instruments  
a Wide Selection of the  
Most Popular Styles & Size.  
The Smoke Evacuation Tube  
Provide Excellent Smoke  
Reduction.*



*Our Gynecology  
Instruments are  
Coated With  
a Special Nylon  
Material.*



**VU-More Graves Speculum  
With Smoke Evacuation Tube**  
Medium 381-648  
Large 381-650

**Disposable Tube**



Medium 381-652  
Large 381-654



**4 Blades Speculum  
With Smoke Evacuation Tube**  
Medium 381-656  
Large 381-658



**Weisman Speculum  
(Right Side Open)  
With Smoke Disposable Tube**  
Medium 381-660  
Large 381-662

**Disposable Tube**



Medium 381-664  
Large 381-666



**Weisman Speculum  
(Left Side Open)  
With Smoke Disposable Tube**  
Medium 381-668  
Large 381-670

**Disposable Tube**



Medium 381-672  
Large 381-674



**Lateral Retractor Wide Open**  
381-676



**Rigby Retractor**  
381-678



**Gelpi Retractor**  
381-680





## Gynecology Instruments



**Kogan Endocervical speculum**  
3mm 381-682  
4mm 381-684  
5mm 381-686



**Lateral Vaginal Retractor**  
21cm 22mm x 75mm blade  
381-688



**Schroeder Tanaculum**  
24cm  
381-690

*Our most popular design for use in Gynecology Instruments. Our highest quality crafted instruments are thermally insulated with a superior, non-conductive coating which is smooth durable and autoclavable.*



**Dressing Forceps**  
21cm 381-692  
25cm 381-694




**Tissue Forceps**  
21cm 381-696  
25cm 381-698



**Iris Hook**  
25cm 381-700



**Emmett Hook**  
25cm  
1-half curved, small 381-702  
2-acute angle, 381-704  
3-right angle 381-706  
4-half curved, large 381-708







## Electrodes



Blade Electrode STR  
381-750



Blade Electrode CVD  
381-752



Needle Electrode STR  
381-754



Needle Electrode CVD  
381-756



Ball Electrode STR  
1.5mm 381-758  
2.0mm 381-760



Ball Electrode CVD  
1.5mm 381-762  
2.0mm 381-764



Ball Electrode STR  
3.0mm 381-766  
4.0mm 381-768  
5.0mm 381-770



Ball Electrode CVD  
3.0mm 381-772  
4.0mm 381-774  
5.0mm 381-776



Round Loop Electrode 7.0cm  
4mm 381-778  
6mm 381-780  
8mm 381-782  
10mm 381-784

*Our most popular design  
for use in Electrode*

Note: All Electrodes are available Single use and Reuseable.





## Electrodes

Note: All Electrodes are available Single use and Reuseable.



<i>1.0x0.4cm</i> 381-800	<i>1.0x0.5cm</i> 381-802	<i>1.0x0.7cm</i> 381-804	<i>1.0x0.8cm</i> 381-806	<i>1.0x1.0cm</i> 381-808
-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------



<i>1.0x0.5cm</i> 381-810	<i>1.0x0.7cm</i> 381-812	<i>1.0x0.8cm</i> 381-814	<i>1.0x1.0cm</i> 381-816	<i>1.0x1.5cm</i> 381-818
-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------



<i>1.5x0.5cm</i> 381-820	<i>1.5x0.7cm</i> 381-822	<i>1.5x0.8cm</i> 381-824	<i>1.5x1.0cm</i> 381-826	<i>1.5x1.2cm</i> 381-828	<i>1.5x1.5cm</i> 381-830
-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------



<i>2.0x0.8cm</i> 381-832	<i>2.0x1.0cm</i> 381-834	<i>2.0x1.2cm</i> 381-836	<i>2.0x1.3cm</i> 381-838	<i>2.0x1.5cm</i> 381-840	<i>2.0x2.0cm</i> 381-842
-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------	-----------------------------

*Our most popular design  
for use in Electrode*






## Electrosurgical Pencils & Cable



Finger Switch Pencil  
381-900 Single Use With 3m Cable  
381-902 Single Use With 5m Cable



Finger Switch Pencil  
Reusable With 3m Silicone Cable  
381-904



Reusable Silicon Bipolar Cable US Fitting  
381-906



Reusable Silicon Bipolar Cable European Fitting  
381-908



381-910 Single Use Bipolar Cable US Fitting  
381-911 Single Use Bipolar Cable European Fitting





## Non-Stick Bipolar Forceps



*Our Forceps With the Popular European & US Fitting for Connecting to Bipolar Cables.*



*Our Bipolar Forceps are Coated With a Special Nylon Material.*



381-100-NS Bayonet Forceps Tip 1mm 20cm EU



381-102-NS Straight Forceps Tip 1.5mm 20cm EU



381-104-NS Angled Forceps Tip 1mm 20cm EU




381-106-NS Adson Forceps Tip 1mm 12cm US



381-108-NS Semkin Forceps Tip 1mm 15cm US



381-110-NS Bayonet Forceps Tip 1.5mm 19cm US



Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

Note: Tip size can be changed as per your requirement, just add the following extensions for tip size at the end of Catalog No. Needle Tip -00, 0.5mm, 1.0mm, and 2.0mm